Ripple

by BIG - Bjarke Ingels Group



ripple

Authors BIG - Bjarke Ingels Group

BIG is a Copenhagen, New York, London and Barcelona based group of architects, designers, urbanists, landscape professionals, interior and product designers, researchers and inventors. The office is currently involved in a large number of projects throughout Europe, North America, Asia and Middle East.

BIG's architecture emerges out of a careful analysis of how contemporary life constantly evolves and changes. Not least due to the influence from multicultural exchange, global economical flows and communication technologies, that all together require new ways of architectural and urban organization. They believe that in order to deal with today's challenges, architecture can profitably move into a field that has been largely unexplored. A pragmatic utopian architecture that steers clear of the petrifying pragmatism of boring boxes and the naïve utopian ideas of digital formalism. Like a form of programmatic alchemy, they create architecture by mixing conventional ingredients such as living, leisure, working, parking and shopping. By hitting the fertile overlap between pragmatic and utopia, they once again find the freedom to change the surface of our planet, to better fit contemporary life forms.



Ripple

BIG - Bjarke Ingels Group 2019

This suspension system shapes the qualities of space through molecular growth, combining light and sound absorption.

Comprised of circular structures in three different diameters, it works through layers of performance that can be modulated as required.

The structures can be simple electrical connection elements, unveil "pure" light or be enriched by a diffuser which, in addition to interacting with the light, offers sound absorption properties.

The basic element of the product is a circular ring whose profile is a synthesis of optics and mechanical engineering.

This freedom of configuration is then mirrored by the flexibility in management granted by interaction with Artemide App.






For further information on Ripple \hookrightarrow visit artemide.com











Constant Voltage Design







Optical comfort

From the optical point of view, it is a LED system combined with a mixing chamber treated with a high diffusive reflection coefficient paint (> 90%) and an opal diffuser with a very low absorption coefficient.


The low absorption coefficient of the diffuser causes the portion of light that is retroreflected towards the LEDs to be reprocessed by the mixing chamber and re-emitted towards the diffuser itself. In this way, an excellent uniformity of the diffuser is achieved, combined with a high optical efficiency.

The emission is lambertian. By acting appropriately on the power supply currents, it is possible to obtain a "comfort" light that adapts to all the spaces of life.






STANDARD SETTING - 50W - DIFFERENT LUMINANCES



FREE SETTING - DIFFERENT CURRENTS - SAME LUMINANCES



Perceptive freedom

Designed to be used as a stand-alone also to form composited configurations in a fluid and dynamic way, Artemide gives the user the possibility to select the desired perceptive effect.

As a production standard, the three stand alone modules are preconfigured to have the same power (50 W) but through a simple current setting, which takes place during the installation phase, the user is free to choose the same luminance among different modules to standardize the appearance of several nearby appliances and ensure perceptual homogeneity even within an articulated layout.


Mechanical and electrical bridge



Molecular growth

It is a suspension system that models the qualities of space according to a molecular growth.

Once again, Artemide's project with BIG is guided by a strong idea of interaction with spaces, an open, modular and scalable solution that combines technological innovation with compositional intelligence. Something apparently elementary but scenographic and full of potential.



Ripple can grow from the light measured parameters and their relationship with space.

Molecular configurations are treated as be-spoke solution starting from the configurations shown.

In the molecular configurations the rings are Constant Voltage Design. With a total power of 240 W-48V, one power kit can support max 210 W-48V, overcoming this total power another feeding kit must be added.



Texfel®


- Sound absorption
- Thermal and acoustic insulation properties
- 100 % recyclable and up to 90% of the content of recycled polyester 100%
- VOC free
- Easy to manufacture, handle and clean
- · Flame-retardant colour felts

with a velour finish

- High abrasion resistance
- Colour fastness to light
- Non-woven fabric, warm and pleasant to the touch
- RoHS and REACH Compliance
- STANDARD 100 by OEKO-TEX[®]
- Contribution to various credits to LEED v.4 and BREEAM certification


Acoustic Quality

The bare structural ring of Ripple allows the distribution of sound-absorbing modules in space and the fullest possible exploitation of their potential, leaving the sound-absorbing surfaces as exposed as possible.



Acoustic comfort is the psychophysical condition of well-being in which we find ourselves when we are surrounded by sound, in relation to the activity we are performing. A place's acoustic quality is determined by reverberation time, space and the sound-absorbing, reflective and distribution properties of the surfaces that cover it.

Aobj (m²) is the equivalent acoustic absorption value of an object at different sound frequencies necessary to calculate the reverberation time of a space. Three diffent diffuser dimensions for infinite combinations.



²⁶⇔ 27

 \hookrightarrow












Magnets for fixing

Metal clips







Ripple

Materials:

W

89 W

Flux

5806 lm

ССТ

3000K

Aluminum, technopolymer Colours: White Color Temperature: 3000K CRI: 90

Ripple 500:

Dimensions: ø500 mm x 30 mm Total Power: 50 W Delivered Luminous Flux: 3089 lm

Ripple 700:

Dimensions:: ø700 mm x 30 mm Total Power: 50 W Delivered Luminous Flux: 3339 lm

Ripple 900:

Dimensions:: ø900 mm x 30 mm Total Power: 50 W Delivered Luminous Flux: 3378 lm

Ripple Cluster:

Dimensions:: 1350 mm x 1530 mm x 30 mm Total Power: 89 W Delivered Luminous Flux: 5806 lm

Ripple 50	00		PUSH	APP / PUSH
W	Flux	ССТ	Code	Code
50 W	3089 lm	3000K	2060010A	2060010APP
Ripple 70	00		PUSH	APP / PUSH
W	Flux	ССТ	Code	Code
50 W	3339 lm	3000K	2061010A	2061010APP
Ripple 900			PUSH	APP / PUSH
<u>w</u> 50 W	Flux 3378 lm	ССТ 3000К	<u>Code</u> 2062010A	<u>Code</u> 2062010APP
Ripple Cluster			PUSH	APP / PUSH

Code

2063010A

Code


2063010APP


Ripple 500


Ripple 700

Ripple Cluster











Ripple 900



ø 900 mm



und being the second se

Ripple diffusers

Materials:

Flame-retardant design felts with a velour finish and high abrasion resistance.

Weight: 500 gr/m² Thickness: 3 mm

Sound Absorption:


UNE-EN ISO 354:aW=0,15 (H) EN ISO 11654: Class E

Colours:

White

Diffusers with acoustic absorption

	Code
Diffuser Ø500 mm - h 200 mm	2072120A
Diffuser Ø500 mm - h 400 mm	2072020A
Diffuser Ø500 mm - h 600 mm	2072220A
Diffuser Ø700 mm - h 200 mm	2073120A
Diffuser Ø700 mm - h 400 mm	2073020A
Diffuser Ø700 mm - h 600 mm	2073220A
Diffuser Ø900 mm - h 200 mm	2074120A
Diffuser Ø900 mm - h 400 mm	2074020A
Diffuser Ø900 mm - h 600 mm	2074220A



Ripple is compatible with Artemide App

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.







Download Artemide App and find more information on artemide.com

Artemide

Headquarters

Artemide S.p.A. Via Bergamo, 18 20006 Pregnana Milanese (MI), Italy Tel. +39 02 93518.1 Tel. +39 02 93526.1 Numero verde 800 834 093 (from Italy only) info@artemide.com artemide.com

Artemide S.p.A. si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A. reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A. se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A. behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildetem Produkte zu ändern.

Artemide S.p.A. se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálgo.

2022 updated version.

